

教室員が筆頭著者または責任著者の論文

1. Obayashi T, Takeda T, Iijima M, Shimizu Y, Yoshizawa H, Kitagawa K. Unilateral flapping tremor associated with internal carotid artery stenosis—A subtype of limb shaking. *Eur J Neurol*. 2018; 25(5):e56-e57. (IF 4.621)
2. Nishimura A, Ikeguchi R, Kobayashi M, Takeuchi M, Shimizu Y, Saigusa H, Kitagawa K. Chronic sarcoid myopathy manifesting only as dysphagia and dysarthria in an 84-yearold woman. *Clin Neurol Neurosurg*. 2018 Oct;173:58-60. doi: 10.1016/j.clineuro.2018.07.018. Epub 2018 Jul 26 (IF: 1.736)
3. Higuchi E, Toi S, Shirai Y, Mizuno S, Onizuka H, Nagashima Y, Hashimoto K, Kitagawa K. Recurrent Cerebral Infarction Due to Benign Uterine Myoma. *J Stroke Cerebrovasc Dis*. 2019; 28(1) :e1-e2. (IF: 1.60)
4. Ishizuka K, Hoshino T, Ashihara K, Maruyama K, Toi S, Mizuno S, Shirai Y, Hagiwara N, and Kitagawa K. Associations of Mitral and Aortic Valve Calcifications with Complex Aortic Atheroma in Patients with Embolic Stroke of Undetermined Source *J Stroke Cerebrovasc Dis*. 2018 Mar;27(3):697-702 (IF 1.60)
5. Seki M, Takeda T, Ito E, Iijima M, Kitagawa K. Mimicking Adie's pupils in the early phase of meningeal neurosyphilis. *Neurology and Clinical Neuroscience* 2018 Jan 15, 6(2): doi: 10.1111/ncn3.12185
6. Ikeguchi R, Shimizu Y, Abe K, Shimizu S, Maruyama T, Nitta M, Abe K, Kawamata T, Kitagawa. Proton magnetic resonance spectroscopy differentiates tumefactive demyelinating lesions from gliomas. *Mult Scler Relat Disord* 2018;Nov 26:77-84 (IF:3.199)
7. Ikeguchi R, Shimizu Y, Shimizu S, Kitagawa K. CSF and clinical data distinguish CNS inflammatory demyelinating disease from CNS lymphoma. *Mult Scler*. 2018; 24(9): 1212-1223 (IF: 5.280)
8. Hoshino T, Sissani L, Labreuche J, Ducrocq G, Lavallée PC, Meseguer E, Guidoux C, Cabrejo L, Hobeau C, Gongora-Rivera F, Touboul PJ, Steg PG, Amarenco P. Prevalence of Systemic Atherosclerosis Burdens and Overlapping Stroke Etiologies and Their Associations With Long-term Vascular Prognosis in Stroke With Intracranial Atherosclerotic Disease. *JAMA Neurol*. 2018;75(2):203-211. (IF 11.46)
9. Hoshino T, Sissani L, Labreuche J, Bousser MG, Chamorro A, Fisher M, Ford I, Fox KM, Hennerici MG, Mattle HP, Rothwell PM, Steg PG, Vicaut, Amarenco P. Non-cardioembolic Stroke/Transient Ischaemic Attack in Asians and Non-Asians: A Post-hoc Analysis of the PERFORM Study. *Eur Stroke J*. 2018, in press
10. Hoshino T, Toi S, Toda K, Uchiyama Y, Yoshizawa H, Iijima M, Shimizu Y, Kitagawa K. Ischemic Stroke due to Virologically-Confirmed Varicella Zoster Virus Vasculopathy: A Case Series. *J Stroke Cerebrovasc Dis*. 2018, in press (IF 1.60)
11. Kitagawa K, Saitoh M, Ishizuka K, Shimizu S. Remote Limb Ischemic Conditioning during Cerebral Ischemia Reduces Infarct Size through Enhanced Collateral Circulation in Murine Focal Cerebral Ischemia. *J Stroke Cerebrovasc Dis*. 2018 Apr;27(4):831-838. (IF 1.60)
12. Kitagawa K, Hosomi N, Nagai Y, Kagimura T, Ohtsuki T, Maruyama H, Origasa H, Minematsu K, Uchiyama S, Nakamura M, Matsumoto M; J-STARS collaborators. Cumulative Effects of LDL Cholesterol and CRP Levels on Recurrent Stroke and TIA. *J Atheroscler Thromb*. 2018 Oct 15. doi: 10.5551/jat.45989. [Epub ahead of print] (IF 3.04)

## 教室員が共著の論文

1. Ogawa A, Toyoda K, **Kitagawa K**, Kitazono T, Nagao T, Yamagami H, Uchiyama S, Tanahashi N, Matsumoto M, Minematsu K, Nagata I, Nishikawa M, Nanto S, Abe K, and Ikeda Y; Comparison of prasugrel and clopidogrel in patients with non-cardioembolic ischaemic stroke: the PRASTRO-I randomised trial. *Lancet Neurol*, in press 2018 (IF 27.14)
2. Saji N, Sakurai T, Ito K, Tomimoto H, **Kitagawa K**, Miwa K, Tanaka Y, Kozaki K, Kario K, Eto M, Suzuki K, Shimizu A, Niida S, Hirakawa A, Toba K; Strawberry study investigators. Protective effects of oral anticoagulants on cerebrovascular diseases and cognitive impairment in patients with atrial fibrillation: protocol for a multicentre, prospective, observational, longitudinal cohort study (Strawberry study). *BMJ Open*. 2018 Nov 25;8(11):e021759. doi: 10.1136/bmjopen-2018-021759. (IF 2.41)
3. Itoh H, Komuro I, Takeuchi M, Akasaka T, Daida H, Egashira Y, Fujita H, Higaki J, Hirata KI, Ishibashi S, Isshiki T, Ito S, Kashiwagi A, Kato S, **Kitagawa K**, Kitakaze M, Kitazono T, Kurabayashi M, Miyauchi K, Murakami T, Murohara T, Node K, Ogawa S, Saito Y, Seino Y, Shigeeda T, Shindo S, Sugawara M, Sugiyama S, Terauchi Y, Tsutsui H, Ueshima K, Utsunomiya K, Yamagishi M, Yamazaki T, Yo S, Yokote K, Yoshida K, Yoshimura M, Yoshimura N, Nakao K, Nagai R; EMPATHY Investigators. Achieving LDL-C target levels less than 70 mg/dL may provide extra cardiovascular protection in high-risk patients: exploratory analysis of the Standard Versus Intensive Statin Therapy for Patients With Hypercholesterolemia and Diabetic Retinopathy Study. *Diabetes Obes Metab*. 2018 Nov 4. doi: 10.1111/dom.13575. [Epub ahead of print] (IF 5.98)
4. Yoshimura S, Sakai N, Uchida K, Yamagami H, Ezura M, Okada Y, **Kitagawa K**, Kimura K, Sasaki M, Tanahashi N, Toyoda K, Furui E, Matsumaru Y, Minematsu K, Morimoto T. Endovascular Therapy in Ischemic Stroke With Acute Large-Vessel Occlusion: Recovery by Endovascular Salvage for Cerebral Ultra-Acute Embolism Japan Registry 2. *J Am Heart Assoc*. 2018 Apr 25;7(9). pii: e008796. (IF 4.45)
5. Taguchi I, Iimuro S, Iwata H, Takashima H, Abe M, Amiya E, Ogawa T, Ozaki Y, Sakuma I, Nakagawa Y, Hibi K, Hiro T, Fukumoto Y, Hokimoto S, Miyauchi K, Yamazaki T, Ito H, Otsuji Y, Kimura K, Takahashi J, Hirayama A, Yokoi H, **Kitagawa K**, Urabe T, Okada Y, Terayama Y, Toyoda K, Nagao T, Matsumoto M, Ohashi Y, Kaneko T, Fujita R, Ohtsu H, Ogawa H, Daida H, Shimokawa H, Saito Y, Kimura T, Inoue T, Matsuzaki M, Nagai R. High-Dose Versus Low-Dose Pitavastatin in Japanese Patients With Stable Coronary Artery Disease (REAL-CAD): A Randomized Superiority Trial. *Circulation*. 2018 May 8;137(19):1997-2009. (IF 18.88)
6. Nohara A, Ohmura H, Okazaki H, Ogura M, **Kitagawa K**, Koseki M, Sato K, Tsukamoto K, Yamashita S; Japan Atherosclerosis Society Working Group on Statement for Appropriate Use of PCSK9 Inhibitors. Statement for Appropriate Clinical Use of PCSK9 Inhibitors. *J Atheroscler Thromb*. 2018 Aug 1;25(8):747-750 (IF 3.04)
7. Itoh H, Komuro I, Takeuchi M, Akasaka T, Daida H, Egashira Y, Fujita H, Higaki J, Hirata KI, Ishibashi S, Isshiki T, Ito S, Kashiwagi A, Kato S, **Kitagawa K**, Kitakaze M, Kitazono T, Kurabayashi M, Miyauchi K, Murakami T, Murohara T, Node K, Ogawa S, Saito Y, Seino Y, Shigeeda T, Shindo S, Sugawara M, Sugiyama S, Terauchi Y, Tsutsui H, Ueshima K, Utsunomiya K, Yamagishi M, Yamazaki T, Yo S, Yokote K, Yoshida K, Yoshimura M, Yoshimura N, Nakao K, Nagai R; EMPATHY Investigators. Intensive Treat-to-Target Statin Therapy in High-Risk Japanese Patients With Hypercholesterolemia and Diabetic Retinopathy: Report of a Randomized Study. *Diabetes Care*. 2018 Apr 6. pii: dc172224. doi: 10.2337/dc17-2224. [Epub ahead of print] (IF 13.40)
8. Hosomi N, Nagai Y, **Kitagawa K**, Nakagawa Y, Aoki S, Nezu T, Kagimura T, Maruyama H, Origasa H, Minematsu K, Uchiyama S, Matsumoto M; J-STARS collaborators. Pravastatin Reduces the Risk of Atherothrombotic Stroke when Administered within Six Months of an Initial Stroke Event. *J Atheroscler Thromb*. 2018 Mar 1;25(3):262-268. (IF 3.04)
9. Hosomi N, **Kitagawa K**, Nagai Y, Nakagawa Y, Aoki S, Nezu T, Kagimura T, Maruyama H, Origasa H, Minematsu K, Uchiyama S, Matsumoto M; J-STARS Collaborators. Desirable Low-Density Lipoprotein Cholesterol Levels for

Preventing Stroke Recurrence: A Post Hoc Analysis of the J-STARS Study (Japan Statin Treatment Against Recurrent Stroke). *Stroke*. 2018 Apr;49(4):865-871. (IF 6.24)

10. Koga M, Toyoda K, Minematsu K, Yasaka M, Nagai Y, Aoki S, Nezu T, Hosomi N, Kagimura T, Origasa H, Kamiyama K, Suzuki R, Ohtsuki T, Maruyama H, **Kitagawa K**, Uchiyama S, Matsumoto M; J-STARS Investigators. Long-Term Effect of Pravastatin on Carotid Intima-Media Complex Thickness: The J-STARS Echo Study (Japan Statin Treatment Against Recurrent Stroke). *Stroke*. 2018 Jan;49(1):107-113. (IF 6.24)
11. Wada S, Koga M, Toyoda K, Minematsu K, Yasaka M, Nagai Y, Aoki S, Nezu T, Hosomi N, Kagimura T, Origasa H, Kamiyama K, Suzuki R, Ohtsuki T, Maruyama H, **Kitagawa K**, Uchiyama S, Matsumoto M; Japan Statin Treatment Against Recurrent Stroke (J-STARS) Echo Study Collaborators. Factors Associated with Intima-Media Complex Thickness of the Common Carotid Artery in Japanese Noncardioembolic Stroke Patients with Hyperlipidemia: The J-STARS Echo Study. *J Atheroscler Thromb*. 2018 Apr 1;25(4):359-373. (IF 3.04)
12. Suzuki K, Miyamoto M, Miyamoto T, Matsubara T, Inoue Y, **Iijima M**, Mizuno S, Horie J, Hirata K, Shimizu T, Kanbayash T. Cerebrospinal fluid orexin-A levels in systemic lupus erythematosus patients presenting with excessive daytime sleepiness. *Lupus*: 1-7,2018. (IF;2.454)
13. Niino, M, Ohashi T, Ochi, H, Nakashima I, **Shimizu Y**, Matsui M. Japanese guidelines for dimethyl fumarate. *Clinical and Experimental Neuroimmunology* 2018 : 9 (4) : 235-243 (Cite Score 0.41)
14. Niino M, Fukazawa T, Kira J, Okuno, T, Mori M, Sanjo, N, Ohashi T, Fukaura H, Fujimori J, **Shimizu Y**, Mifune N, Miyazaki Y, Takahashi E, Kikuchi S, Langdon D, Benedict R, Matsui M. Cognition with magnetic resonance imaging findings and social activities in patients with multiple sclerosis in a Japanese cohort. *Clinical and Experimental Neuroimmunology* 2018 : 19 November 2018 : 9 (4) : doi.org/10.1111/cen3.12484 (Cite Score 0.41)
15. Lorenz MW, Gao L, Ziegelbauer K, Norata GD, Empana JP, Schmidtman I, Lin HJ, McLachlan S, Bokemark L, Ronkainen K, Amato M, Schminke U, Srinivasan SR, Lind L, Okazaki S, Stehouwer CDA, Willeit P, Polak JF, Steinmetz H, Sander D, Poppert H, Desvarieux M, Ikram MA, Johnsen SH, Staub D, Sirtori CR, Iglseider B, Beloqui O, Engström G, Frier A, Rozza F, Xie W, Parraga G, Grigore L, Plichart M, Blankenberg S, Su TC, Schmidt C, Tuomainen TP, Veglia F, Völzke H, Nijpels G, Willeit J, Sacco RL, Franco OH, Uthoff H, Hedblad B, Suarez C, Izzo R, Zhao D, Wannarong T, Catapano A, Ducimetiere P, Espinola-Klein C, Chien KL, Price JF, Bergström G, Kauhanen J, Tremoli E, Dörr M, Berenson G, **Kitagawa K**, Dekker JM, Kiechl S, Sitzer M, Bickel H, Rundek T, Hofman A, Mathiesen EB, Castelnovo S, Landecho MF, Rosvall M, Gabriel R, de Luca N, Liu J, Baldassarre D, Kavousi M, de Groot E, Bots ML, Yanez DN, Thompson SG; PROG-IMT study group. Predictive value for cardiovascular events of common carotid intima media thickness and its rate of change in individuals at high cardiovascular risk - Results from the PROG-IMT collaboration. *PLoS One*. 2018 Apr 12;13(4):e0191172. doi: 10.1371/journal.pone.0191172. eCollection 2018 (IF 2.766)
16. Nagao T, Toyoda K, **Kitagawa K**, Kitazono T, Yamagami H, Uchiyama S, Tanahashi N, Matsumoto M, Minematsu K, Nagata I, Nishikawa M, Nanto S, Abe K, Ikeda Y, Ogawa A. A noninferiority confirmatory trial of prasugrel versus clopidogrel in Japanese patients with non-cardioembolic stroke: rationale and study design for a randomized controlled trial - PRASTRO-I trial. *Expert Opin Pharmacother*. 2018 Apr;19(6):529-535 (IF 3.475)